

<b>Abstract ID</b>	<b>Abstract Title</b>
<a href="#">11183</a>	Material Models for Tantalum – A Validation Study for EFP Applications
<a href="#">11441</a>	The Numerical Optimization of the Novel Kinetic Energy Penetrator for Tank Guns
<a href="#">11442</a>	STITCHING EFFECTS ON THE MECHANICAL AND BALLISTIC PROPERTIES OF SOFT BODY ARMOUR FABRICS
<a href="#">11443</a>	Ballistic Performance of Natural Based Particulate Reinforced Composite Armor Subjected to Projectile Impacts
<a href="#">11444</a>	Estimation of yield stress in tungsten rods a high strain-rates
<a href="#">11462</a>	IM testing and Initiation Trials of the IMX-101 Explosive in the M795 projectile
<a href="#">11469</a>	Stress Relaxation of Composite Gun Barrels - Modeling and Experimental Validation
<a href="#">11480</a>	Ballistic Analysis of New Military Grade Magnesium Alloys for Armor Applications
<a href="#">11481</a>	Measurement Principle of Moment of Inertia for Turret
<a href="#">11484</a>	Ningbo Branch of China Academy of Ordnance Science, Ningbo 315103, China
<a href="#">11485</a>	Blast Mitigation Seats for Armored Platforms – Development and Evaluation Methodology
<a href="#">11487</a>	DEVELOPMENT OF A NOVEL CERAMIC ARMOR SYSTEM: ANALYSIS AND TEST
<a href="#">11490</a>	IBS 2011-A Computational Constitutive Model for Glass Subjected to Large Strains, High Strain Rates, and High Pressures
<a href="#">11491</a>	A probe into the applicability of shock similarity laws for underwater explosion of aluminiferous explosive
<a href="#">11492</a>	The Effect of High Impact Environment on the Fire Set of In-line Fuze
<a href="#">11494</a>	Modelling the effects of non-gaseous igniter combustion products on the ignition of gun propellants
<a href="#">11495</a>	Modelling the internal ballistics of lightweight plastic driving band projectiles
<a href="#">11505</a>	Environmentally Friendly Large Caliber Ignition by Non-Bridge Wire Miniature Pulse Forming Networ
<a href="#">11514</a>	INVESTIGATION OF WEAPON PERFORMANCE DUE TO MECHANISM OF ABRASIVE WEAR IN BARREL
<a href="#">11527</a>	A Model of Compressible Jet Penetration
<a href="#">11546</a>	Injury Criteria Used by the U.S. Army Research Laboratory in Soldier Survivability Analysis for Accelerative Events
<a href="#">11562</a>	IMPROVING BODY ARMOR BY MINIMIZING EXPECTED LEVEL OF INJURY, A HOLISTIC APPROACH
<a href="#">11580</a>	Using forecast meteorological data to reduce the Artillery error budget
<a href="#">11585</a>	Sensitivity of Johnson-Cook Constitutive Model Parameters in Modeling Penetration of Rolled Homogeneous Armor Steel Targets by Tungsten Rods
<a href="#">11633</a>	Quasi-Dimensional Interior Ballistic Model and Numerical Simulation of Combustion Light Gas Gun
<a href="#">11669</a>	MASS-FLUX MODEL FOR NON METALLIC REACTIVE ARMOR
<a href="#">11671</a>	Analysis of 120mm Tank Gun Failure Due to Bore Obstruction
<a href="#">11672</a>	A Computational Approach To The Determination of Tank Munitions Safety Zones
<a href="#">11673</a>	Lunch Dynamics of THE HE-MP ROUND
<a href="#">11675</a>	Personnel Injury Analysis of Reflective Spall
<a href="#">11706</a>	Experimental and theoretical study of interaction process between projectiles containing fluoropolymer and titanium and aluminium-based targets.
<a href="#">11714</a>	Research on the Relationship between Initiation Circuit and Charge
<a href="#">11715</a>	Ballistic Testing of ThyssenKrupp Steel Europe Armor Steel acc. to U.S. military specifications
<a href="#">11724</a>	Ballistic gelatine behaviour under quasi-static and dynamic loadings
<a href="#">11727</a>	Fracture of Hypervelocity Projectiles by the PELE Process

<a href="#">11728</a>	Effect of Whipple Shields with Spaced Armour against Explosively formed Projectile
<a href="#">11730</a>	Development of Blast Enhanced Explosive for an Anti-Structure-Warhead
<a href="#">11746</a>	The Concept of Reactive Reinforced Slender Cylindrical Explosive Vessel
<a href="#">11748</a>	Experimental and Numerical Investigations on Traveling Charge Gun Using Liquid Fuels
<a href="#">11750</a>	Lethality Analysis Based on a Fragmentation Model for Naturally Fragmenting Shells
<a href="#">11751</a>	Fragment Analysis for the Joint Trauma Analysis and Prevention of Injury in Combat (JTAPIC)
<a href="#">11753</a>	Development of Brick and Mortar Material Parameters for Numerical Simulations Using the Holmquist-Johnson-Cook Constitutive Model for Concrete
<a href="#">11754</a>	Theoretical analysis on the interface defeat of a conical-nosed long rod penetration
<a href="#">11755</a>	Perforator with Energetic Liner
<a href="#">11757</a>	The Effect of a Variable Crosswind on Flat-Fire Trajectories – A Unique Measuring Technique and Compensation Methodology
<a href="#">11762</a>	Research on the Process of Multi-Mode EFP Penetration into a Semi-Infinite Target
<a href="#">11764</a>	Inclusion of Rifling and Variable Centerline in Gun Tubes for Enhanced Modeling of Launch Dynamics
<a href="#">11767</a>	Experimental research on the deformation process of a thin-walled metal tube subjected to a pulsed magnetic dynamic load
<a href="#">11768</a>	Model Analysis on Perforation of metallic plates by rigid sharp-nosed projectiles
<a href="#">11770</a>	THE TROUBLE WITH TNT EQUIVALENCE
<a href="#">11776</a>	Deceleration of Projectiles in Granular Material
<a href="#">11778</a>	DO WE NEED HIGHER DETONATION VELOCITY FOR SHAPED-CHARGES
<a href="#">11780</a>	EFFECTIVENESS OF EXPLOSIVE REACTIVE ARMOR
<a href="#">11782</a>	Burning Behavior of Gun Propellants under the Influence of Pressure Oscillations – Theoretical Background and Simulation
<a href="#">11783</a>	Multi-Core Computing Cluster for Monte-Carlo Analysis of GN&C Systems for Projectiles
<a href="#">11794</a>	Survivability Evaluation of Blast Mitigation Seats for Armored Vehicles
<a href="#">11795</a>	Study of Bulk-Loaded Liquid Propellant Combustion Propulsion Processes with Stepped-wall
<a href="#">11796</a>	The analogue simulation research on the cloud detonation wave's propagation process of FAE warhead
<a href="#">11798</a>	Improved one-dimensional unsteady modelling of thermally choked ram accelerator in sub-detonative velocity regime
<a href="#">11803</a>	Preliminary Testing of a 2-Fin Flechette
<a href="#">11806</a>	Ballistic Diagnostic Methodologies for Gun Propulsion: An Overview
<a href="#">11812</a>	Ram Accelerator – State of the Art
<a href="#">11815</a>	Numerical Simulation of the Random Fragments Dispersion under Asymmetrical Initiation
<a href="#">11816</a>	Research on Conversion Conditions of JPC and JET
<a href="#">11817</a>	Experimental and computational study on high velocity fragment impacts
<a href="#">11826</a>	Lubrication's Contribution to Ammunition Failure
<a href="#">11827</a>	SIMULATION AND INSTRUMENTATION USED TO DEVELOP A SUPER-CALIBER FIN SET FOR A PRECISION MORTAR
<a href="#">11833</a>	Structural Reactive Material Terminal Ballistics
<a href="#">11834</a>	Self-Disassembling Small-Caliber Projectiles for Reduced Collateral Effects
<a href="#">11835</a>	Numerical Investigation of Lateral Jet Interaction on Fin-Stabilized Projectiles
<a href="#">11836</a>	Vulnerability Model Validation for Commercial Aircraft
<a href="#">11843</a>	Numerical study on kinetic energy projectile penetrating multilayer medium target
<a href="#">11844</a>	A non-metallic material formulation for consumable cartridge cases

<a href="#">11845</a>	A New GPS-based Technique for Realtime Measurement of Ballistic Parameters of High-spin Flying Projectile
<a href="#">11850</a>	Supersonic Penetration by Jet into Concrete: Research of Shaped Charge for Creating Large Cavity Diameter
<a href="#">11852</a>	Influence of crater formation on the head structure of penetrator
<a href="#">11853</a>	RESEARCH ON BURNING CHARACTERISTICS OF MICROFOAM PROPELLANTS
<a href="#">11854</a>	Numerical Simulation and Experimental Research on PELE Impacting Reinforced Concrete Targets
<a href="#">11855</a>	Despin and Roll Attitude Control of a 2D Guided Fuze Kit
<a href="#">11856</a>	Fracture analysis model of Penetrator Embedding Pre-perforated Steel Plate Vertically
<a href="#">11857</a>	Time resolved armor penetration model for metals
<a href="#">11859</a>	ISB 2011 - A Feasibility Study for a Space Penetrator into Ice
<a href="#">11864</a>	Ballistic Behavior of Aluminum Alloys
<a href="#">11865</a>	Measurement of Blast Reflected Overpressure at Small Charge Standoff with Tourmaline-Based Piezoelectric Transducers
<a href="#">11866</a>	Transverse Impact Response of a Fiber Yarn
<a href="#">11868</a>	Primer Force and Chamber Pressure Measurements at 5.56 mm Caliber
<a href="#">11870</a>	Effect of Liner's Microstructure on the Formation of Two-mode Warhead
<a href="#">11871</a>	An Automated Methodology for Calculating Optimized Pre-set Fuze Time Delay Function in Conjunction with the AVAL Code
<a href="#">11873</a>	Properties of Cross-Plied Undirectional Aramid Fiber Laminates for New MIL-Specification
<a href="#">11874</a>	The dynamic response of Kevlar and float glass panels to blast loading
<a href="#">11876</a>	Fiber Interfacial Surface Energetics for Controlled Adhesion
<a href="#">11878</a>	Reduced Vulnerability BKNO <sub>3</sub> Based Igniters for Gun Systems
<a href="#">11879</a>	The role of the wave impedance of the sandwich material in the composite armor against shaped charge jet
<a href="#">11880</a>	ISB 2011 - AN EXPERIMENTAL TECHNIQUE TO CHARACTERISE THE DYNAMIC RESPONSE OF MATERIALS, OR MATERIAL COMBINATIONS, TO EXPLOSIVE BLAST
<a href="#">11881</a>	In-Bore Yaw Effects on Lateral Throw-off and Aerodynamic Jump Behavior for Small Caliber Projectiles Firing Sidewise From Air Vehicles
<a href="#">11882</a>	Analysis of existing injuries criteria in order to evaluate the severity of thoracic impact injury
<a href="#">11884</a>	Close Quarter Combat Shotgun: Pattern & Pellet Optimization for Maximum Incapacitation Effects
<a href="#">11885</a>	Recent improvements in ballistic data reduction data fusion
<a href="#">11886</a>	ISB 2011 - Experimental Methodology using Digital Image Correlation (DIC) to Assess Ballistic Helmet Blunt Trauma
<a href="#">11887</a>	The Erosion Threshold for High Velocity Geo-Penetrators
<a href="#">11888</a>	ISB - 2011 The mechanisms of damage in ballistic fibers
<a href="#">11889</a>	Ballistic Evaluation of Aluminum 7085-T7E01 and T7E02
<a href="#">11890</a>	The Influence of Propellant Grain Shape, Size and Configuration on Solid Phase Motion and Heat Transfer to the Gun Tube
<a href="#">11891</a>	Impact-Driven Reactions that Produce Sporicidal Gases
<a href="#">11892</a>	Modeling of Fabric Impact with High Speed Imaging and Nickel-Chromium Wires Validation
<a href="#">11893</a>	A Composite Sabot Technique to Launch 120-mm APFSDS Projectiles from a 7" HARP Cannon

<a href="#">11894</a>	Predicting the Dynamic Stability of Small-Caliber Ammunition
<a href="#">11895</a>	New Hybrid Textile solutions for lighter and safer soft body armor protection
<a href="#">11897</a>	ISB2011-The Potential of FOX-7 in IM Munition Design
<a href="#">11898</a>	3D flexible hybrid textile structures against high velocity impact
<a href="#">11899</a>	The Impact of High Accuracy Target Geometry in M&S to Support LFT&E
<a href="#">11900</a>	Numerical and Experimental Research on Pitch Mechanism of Gun with Clearances
<a href="#">11901</a>	CORRECTION OF GURNEY EQUATION FOR ASYMMETRIC SANDWICH IN RELATION TO LINEAR EFP
<a href="#">11902</a>	Numerical Study on Properties of Interior Ballistics According to Solid Propellant Positions in Chamber
<a href="#">11904</a>	Laboratory stand for scale test of rocket propelled grenades firing
<a href="#">11905</a>	Experimental and Numerical Study of Aluminum 6061-T6 Fragmentation Process at Very High Strain Rates
<a href="#">11906</a>	A COMPREHENSIVE APPROACH TO CHARACTERIZING THE HAZARDS OF EXPLOSIVE COUNTERMEASURES WITH RESPECT TO DISMOUNTED TROOPS
<a href="#">11907</a>	ON SIMILARITY OF COMBUSTION CONDITIONS DURING COMPARATIVE CLOSED VESSEL TESTS
<a href="#">11908</a>	ARMoured VEHICLE RESPONSE TO THE ROADSIDE MINE THREAT
<a href="#">11910</a>	Simulation of Penetration Behaviour of Shaped Charge Jets in Water Filled Targets
<a href="#">11912</a>	OBLIQUE IMPACT OF ELONGATED PROJECTILES ON MASSIVE TARGETS
<a href="#">11915</a>	A MODEL FOR BEHIND ARMOR DEBRIS FROM EFP IMPACT
<a href="#">11916</a>	High-speed penetration of elongated porous projectiles
<a href="#">11917</a>	EFFECTS OF EFP SOLIDITY IN TERMINAL BALLISTICS
<a href="#">11918</a>	A Less Sensitive Hand Grenade with Enhanced Terminal Effects
<a href="#">11919</a>	MUVES 3 - Vulnerability/Lethality Analysis Tool of the Future
<a href="#">11920</a>	Modeling and simulating the performance of transparent spinel and the effect of defects on dynamic response
<a href="#">11921</a>	PENETRATION RESISTANCE OF POROUS (DAMAGED) GLASS IN IMPACT VELOCITIES INTERVAL FROM 300 m/sec UP TO 1000 m/sec
<a href="#">11922</a>	Nondestructive Assessment and Analysis of Penetration Damage in Novel Mg Materials
<a href="#">11923</a>	Experimental and Theoretical Estimate of Impact Conditions Effects on Projectiles Deceleration History in Target
<a href="#">11924</a>	EULERIAN VS. LAGRANGIAN METHODS IN THE FINITE ELEMENT ANALYSIS OF SMALL CALIBER THICK PLATE PENETRATION EVENTS
<a href="#">11925</a>	Impact Experiments into Borosilicate Glass at Three Scale Sizes
<a href="#">11926</a>	EFFECT OF SET UP PARAMETERS OF LANDMINE BLAST OVER TRANSFERRED ENERGY TO A RIGID BODY: EXPERIMENTAL AND COMPUTATIONAL STUDY
<a href="#">11928</a>	Shock Impact Failure of Polycrystalline Microstructures: Modeling and Simulation
<a href="#">11929</a>	Modeling and Simulation of the 30mm Target Practice Round for Safety Fan Evaluation
<a href="#">11930</a>	ISB 2011 - Rigid-body Concrete Penetration and the Sectional Momentum Effect
<a href="#">11932</a>	Effect of Explosive Detonation Pressures, Steel Grades, and Heat Treatment Schedules on Fragmentation of Steel Cylinders
<a href="#">11934</a>	Polymers as Potential Shaped Charge Liner Materials
<a href="#">11935</a>	Overview of MUVES 3 and the MUVES 3 V/L Service
<a href="#">11936</a>	Evaluation of steel reinforced fiber cases for Army applications

<a href="#">11937</a>	ISB 2011 – 5.56 mm M855 Accuracy and Jump Measurements
<a href="#">11938</a>	Characterization of explosively formed steel fragments using high speed imaging
<a href="#">11939</a>	Asymmetrical Muzzle Wear
<a href="#">11940</a>	Multidimensional Interior Ballistics Modeling with Extension to Igniter Design and Operation
<a href="#">11941</a>	Failure Analysis of .50 Caliber M20 API-T Bullet Burst
<a href="#">11943</a>	A Comparison of Penetration Algorithms: Predictions vs. Test Data for Kinetic Energy Rods
<a href="#">11944</a>	Comparing Live-fire Tests to Theater Data: An MRAP Case Study
<a href="#">11945</a>	ISB 2011- Modeling Explosive Cladding of Metallic Liners to Gun Tubes
<a href="#">11946</a>	Reinforced dense high-explosive fills for gun launch
<a href="#">11947</a>	Influence of material properties on sabot performance
<a href="#">11948</a>	Results and Analysis from Mine Impulse Experiments Using Stereo-Digital Image Correlation
<a href="#">11949</a>	Physics-based design techniques for slipband obturators
<a href="#">11950</a>	Investigation of Projectile Trajectory in Multi-hit Scenarios and the Influence of Damage Characteristics in Glass-Ceramic Transparent Armor
<a href="#">11951</a>	Innovative transparent armor concepts
<a href="#">11952</a>	Utilizing Vehicle Response Data from Under-Body Blast Tests
<a href="#">11953</a>	Detrimental Effects of Flexible Linear Shaped Charge (FLSC) to Nearby Plates Due to Varying Backspace Distance
<a href="#">11954</a>	Soft Recovery of Medium-Caliber Projectiles
<a href="#">11955</a>	Initial Temperature Effect on M1020 Ignition Cartridge Behavior
<a href="#">11956</a>	Performance Dependency of 120mm Mortar System on Ambient Temperature Conditions
<a href="#">11957</a>	An Automated Visual Scoring Algorithm for Assessing Gun Accuracy
<a href="#">11958</a>	A case study of gun tube safety through coupling of propellant burn models with finite element methods
<a href="#">11959</a>	Detailed Investigation into the Scaling of Mine Blast Loading to Armors and Vehicles
<a href="#">11960</a>	WeaponFX Vulnerability and Optimization Code for Fragmenting Warheads
<a href="#">11961</a>	Influence of Material Properties on Cartridge Case Functioning
<a href="#">11962</a>	Ballistic Vulnerability Analysis of Ground Vehicles, Understanding the Process and Impact
<a href="#">11963</a>	Experimental Investigation on Dynamic Crack Propagating Perpendicularly
<a href="#">11964</a>	Study on a enhanced focused warhead
<a href="#">11965</a>	Experimental Research of Blast Effect for Fiber Reinforced anti-hard Target Warhead
<a href="#">11966</a>	LIGHT METAL-CERAMIC PASSIVE ARMOUR FOR SPECIAL APPLICATION
<a href="#">11967</a>	HYPERSONIC AEROTHERMAL EXTERNAL FLOW FIELD DEPICTED FROM IMMERSED BOUNDARY TECHNIQUE
<a href="#">11968</a>	ISB 2011-AERODYNAMIC ANALYSIS OF THREE-DIMENSIONAL MUZZLE FLOW FIELD DURING REVOLVING BARRELS FIRING OF THE CLOSE-IN WEAPONS SYSTEM (CIWS)
<a href="#">11969</a>	Fragmentation of 155mm artillery grenade, simulations and experiment
<a href="#">11970</a>	A sensitivity study of aerodynamic coefficients on the trajectory prediction for an unguided rocket
<a href="#">11971</a>	Modeling Bullet engraving by Barrel Rifling using Lagrangian and Eulerian Methodologies
<a href="#">11972</a>	The Effect of Threaded Joints on the Transmission of Vibrations

<a href="#">11973</a>	Discontinuity in the energy absorbed during ballistic impact in Aluminum targets
<a href="#">11974</a>	ISb 2011-SIMULATION OF CONTAMINATION PREVENTION FOR OPTICAL WINDOW IN LASER IGNITION SYSTEM OF LARGE-CALIBER GUNS
<a href="#">11975</a>	ISB 2011--RESEARCH FOR A PROJECTILE POSITIONING STRUCTURE FOR STACKED PROJECTILE WEAPONS
<a href="#">11976</a>	New Generation Maraging Steel and High-Carbon Bainitic Steel for Armours
<a href="#">11978</a>	INVESTIGATION OF STEEL LINERED SHAPED CHARGE JETS AND THEIR PENETRATION PERFORMANCE AGAINST STEEL TARGETS
<a href="#">11979</a>	Standardization of skin penetration assessment for non-lethal impact projectiles
<a href="#">11980</a>	A Concrete Tension Failure Model under Impact Loading
<a href="#">11981</a>	Pressure effects in an enclosed volume due to EFP impact
<a href="#">11982</a>	The Effect of Temperature on AEP 55 Vol. 2 Level 1 (DM-31) Surrogate Performance
<a href="#">11983</a>	IMPROVING THE DESIGN CAPABILITY FOR FRAGMENT PROTECTION
<a href="#">11984</a>	Adjoint Analysis of Guided Projectile Terminal Phase
<a href="#">11985</a>	Impact measurements of different 40mm non-lethal sponge grenades
<a href="#">11986</a>	Experimental-Numerical Study of Inclined Impact of 0.3 AP projectiles in Al7075-T7351 Targets
<a href="#">11987</a>	Numerical simulation of non-lethal projectiles on human thorax
<a href="#">11988</a>	NUMERICAL ANALYSIS OF HIGH-VELOCITY ELEMENT FORMATION UPON IMPLOSION OF COMBINED SEMISPHERE-CYLINDER LINERS
<a href="#">11989</a>	Multi-Dimensional Two-Phase Flow Modelling Applied to Interior Ballistics
<a href="#">11990</a>	INFLUENCE OF IMPACTING EXPLOSIVE FORMED PROJECTILES ON LONG ROD PROJECTILES
<a href="#">11991</a>	Attenuation of a Blast Wave Through Cranial Bone
<a href="#">11992</a>	Impact Test of Organic Radical Secondary Battery
<a href="#">11993</a>	NUMERICAL ANALYSIS OF THE INITIATION OF HIGH EXPLOSIVES BY INTERACTING SHOCK WAVES DUE TO MULTIPLE FRAGMENT IMPACT
<a href="#">11994</a>	EXPERIMENTAL INVESTIGATION OF THE PENETRATION AND PERFORATION OF BUILDING MATERIALS BY PROJECTILES
<a href="#">11995</a>	Benefits of Two Dimensional Internal Ballistics Modelling for Small Calibre Cased Telescoped Ammunition
<a href="#">11996</a>	Free-Flight Motion Analysis Based on Shock-Tunnel Experiments
<a href="#">11997</a>	Blast response analysis of reinforced concrete slabs. Experimental procedure and numerical simulation.
<a href="#">11998</a>	Payload Optimisation for Range Enhanced Ammunition
<a href="#">11999</a>	Parametric studies of the penetration into multilayer targets
<a href="#">12000</a>	Optimum Design of Magnesium-Based Multi-Layered Hybrid Armor against 7.62mm AP Projectile
<a href="#">12001</a>	The Effect of Surface Condition to Dynamic Crack Propagation through Interface in Glass
<a href="#">12002</a>	Robust Design Optimization of 3D Tandem Grain Configuration for Dual Thrust Solid Rocket Motor
<a href="#">12003</a>	Application of a soil model in the numerical analysis of landmine interaction with protective structures
<a href="#">12004</a>	Modeling of natural fragmentation of warhead and its fragment mass distribution
<a href="#">12005</a>	Numerical studies on the optimum standoff distance of shaped charges for various target

	materials
<a href="#">12006</a>	Experimental Studies of Scalable Effects Warhead Technologies
<a href="#">12007</a>	Study on the Effect of Nose Shape of Projectile upon its Penetration Path through a Thick Concrete Target under Impact Loading
<a href="#">12008</a>	THE EFFECTS OF LATERAL EDGES TOWARD PENETRATION DEPTHS
<a href="#">12009</a>	Material Reformation Under Shock Wave Loading in Contact and Non-Contact Geometry
<a href="#">12010</a>	Critical impact velocity of a cemented carbide projectile penetrating a water target
<a href="#">12011</a>	A MODIFIED JOHNSON-COOK FAILURE MODEL FOR TUNGSTEN CARBIDE
<a href="#">12012</a>	Interface Defeat of Long Rods Impacting Oblique Silicon Carbide
<a href="#">12013</a>	Fracture mechanics of long rod projectiles subjected to oblique moving plates
<a href="#">12014</a>	Experiments on the Combustion Properties of Deterrent Coated Propellants and Application in Traveling Charge Propulsion
<a href="#">12015</a>	Extended range of 155mm projectile using an improved Base Bleed unit. Simulations and Evaluation
<a href="#">12016</a>	Volume Transfer Functions for Aluminium Liner Shaped Charge Jet Penetration into Concrete
<a href="#">12018</a>	RAPID ASSESSMENT OF THE VULNERABILITY OF A STRUCTURE TO BLAST EFFECTS
<a href="#">12019</a>	A Novel Technology for Switchable Modes Warheads
<a href="#">12020</a>	Unified software development for solid rocket propulsion system design
<a href="#">12021</a>	Inverse aerodynamic coefficients identification of a kinetic energy projectile from flight data
<a href="#">12022</a>	Non-initiating precursor charge technology against ERA
<a href="#">12023</a>	Development of a Sub-Sonic Anti-Structure-Penetrator
<a href="#">12024</a>	A Numerical Tool for Evaluating Solid Propellants Ignition Models
<a href="#">12025</a>	An Experimental and Numerical study of ballistic impacts on a turbine casing material at varying temperatures
<a href="#">12026</a>	Vulnerability of the M72 Warhead with the Airburst Capability
<a href="#">12027</a>	The Method of Self-adaptive container opening Control for Rocket Assisted Cargo Mortar Bomb
<a href="#">12028</a>	Modelling Kinetic Energy Projectile Failure During Structured Armour Perforation
<a href="#">12029</a>	Modelling of the dynamics of a 40 mm gun and ammunition system during firing
<a href="#">12030</a>	Visualization and Analysis of Impact Damage in Sapphire
<a href="#">12031</a>	Investigation on Ignition and Combustion Processes in Granular Solid Propellant Chamber
<a href="#">12032</a>	A Study on the Aerodynamic Characteristics for a Spin-Stabilized Projectile with PGK
<a href="#">12033</a>	Deflecting and Rotating Rigi Projectiles Hitting Plate Edge
<a href="#">12035</a>	Effect of friction on the ballistic impact of a 3D warp interlock fabric: numerical analysis
<a href="#">12036</a>	An Investigation of Aerosolization and Associated Phenomena Resulting from the Detonation of Explosives
<a href="#">12037</a>	NUMERICL MODELING OF ROCKET WARHEAD DETONATION AND FRAGMENTATION
<a href="#">12038</a>	Investigation of ballistic response of CFRP composites of various reinforcement architectures
<a href="#">12039</a>	Internal Ballistics Simulation of a NAWC Tactical SRM
<a href="#">12040</a>	DESCENT Modeling in Rotorcraft Vulnerability Assessment
<a href="#">12041</a>	Modeling and Characterization of Resistive Force on Gun Launched Projectiles using Finite

	Element Analysis Methods
<a href="#">12042</a>	Ballistic performance of UHMWPE hemispherical shells
<a href="#">12043</a>	Analysis of Critical Crack Potential for a Pressure Tap in a 40mm Gun Breech
<a href="#">12044</a>	Comparative Study of the Behavior of Different Tissue Surrogate Materials under Blast Loading
<a href="#">12045</a>	Characterization of Caseless Electronically Ignited Ammunition for Small Arms
<a href="#">12047</a>	PENETRATION MODELS OF MODELING CLAY USING SPHERICAL CAVITY EXPANSION FORMULATION
<a href="#">12048</a>	THE PENETRATION PROCESS OF JETS AND LONG RODS IN WATER
<a href="#">12049</a>	Comparison of the Mechanical Response of Different Soft Tissue Surrogate Materials under Impact Loading
<a href="#">12050</a>	Damage mechanisms in dynamically loaded AISI 4130 steel
<a href="#">12051</a>	Non-Orthogonal Kevlar® Fabric Architectures for Body Armor Applications
<a href="#">12052</a>	Evaluation of the Response of Friction Stir Welded Panels Under Ballistic Loading
<a href="#">12053</a>	Simulation of Small Ammunitions in Aviation Applications
<a href="#">12054</a>	Numerical Simulation and Experimental Study of Flow Field around a Bullet with a Partial Core
<a href="#">12055</a>	Why Impacted Yarns Break at Lower Speed than Classical Theory Predicts
<a href="#">12056</a>	Glass as a Shaped Charge Liner Material
<a href="#">12060</a>	Investigation of acceleration behavior of shaped charge liners
<a href="#">12061</a>	Responses of an Electronic Component with Various Potting Material in High-G Gun Launch Event
<a href="#">12062</a>	Characterization of a Potting Material for Gun Launch
<a href="#">12063</a>	Gun Launch Dynamics of Pyrotechnic Materials
<a href="#">12065</a>	Ammunition and Weapon effects in Confined Operational Urban Theatre in the vicinity of own troops
<a href="#">12067</a>	Unusual Transverse Compression Response of Non-Woven Ballistic Laminates
<a href="#">12069</a>	The ballistic and blast performance of 7085 plate products
<a href="#">12070</a>	New products from Alcoa for armor applications
<a href="#">12072</a>	Deterred Propellant Optimization
<a href="#">12074</a>	Overcoming Material Flow rate Limitations to Coherent Shaped Charge Jetting
<a href="#">12075</a>	CAPABILITY IMPROVEMENTS FOR MODELING FRAGMENT IMPACT IN ALE3D
<a href="#">12077</a>	Establishment of Threshold Criteria For Acceptance Based on Battlefield use of Tracer Ammunition
<a href="#">12079</a>	Ballistic performance of steels and Aluminums in FE firing simulations
<a href="#">12080</a>	Finite Element Modeling of Primer Impact to Understand the Dynamics of Misfires
<a href="#">12084</a>	INTERIOR BALLISTICS OF CO-LAYERED GUN PROPELLANT
<a href="#">12085</a>	Parallel Detonation Shock Dynamics Algorithm for Insensitive Munitions using ALE3D
<a href="#">12086</a>	Balancing Ballistic and Back-Face Deformation in Helmets: The Role of Alternative Resins, Fibers, and Fiber Architecture in Mass-Efficient Head Protection
<a href="#">12087</a>	Application of a Ductile Damage Model to Ballistic Impact Analyses
<a href="#">12088</a>	Gun Launch Dynamics Modeling – Benchmarking the State of the Art
<a href="#">12092</a>	Laser Shadowgraphy for Characterizing Small Shaped Charge Jets

<a href="#">12094</a>	COMPUTATIONAL MODELING OF THE DEFLAGRATION RESPONSE OF PAX-21
<a href="#">12095</a>	AMRDEC Lethality Modeling and Simulation Methodologies for
<a href="#">12106</a>	A SMALL SCALE UNITARY DEMOLITION CHARGE
<a href="#">12108</a>	The Use of Light Armours for Protection Against Shaped Charge Projectiles
<a href="#">12135</a>	Blast Arena in the Near Field
<a href="#">12142</a>	Consequence of selecting deep drawing as a preforming technique in teh production of combat helmets
<a href="#">12144</a>	Ballistic Properties of Composites-Nanocrystalline Steel Hybrid Plates
<a href="#">12148</a>	Computational Hydrocode Study of Target Damage due to Fragment-Blast Impact
<a href="#">12150</a>	Axisymmetric Finite Element Simulation of Shape Charges
<a href="#">12153</a>	A study on design of range reduction dummy fuze for the efficiency of live fire test
<a href="#">12155</a>	Terminal Ballistic Performances of Spherical Tungsten Fragments